

To: Estep, Rebecca[Estep.Rebecca@epa.gov]
Cc: Tapp, Joshua[Tapp.Joshua@epa.gov]; Cecilia Tapia[tapia.cecilia@epa.gov]; Harris, Diane E.[Harris.Dianee@epa.gov]
From: Mahler, Tom
Sent: Fri 12/23/2016 7:00:15 PM
Subject: FW: revised QAPP
QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site - Rev 01.pdf
QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site - Rev 01.doc

Attached is the QAPP in PDF and with track changes that I discussed in my previous email.

Please note that the language about field blanks is currently in section 4.1. let me know if that will be an issue and I will have it moved to section 4.2.

Tom

From: Monnig, Rob [mailto:rob.monnig@tetrattech.com]
Sent: Friday, December 23, 2016 12:45 PM
To: Mahler, Tom <mahler.tom@epa.gov>
Subject: revised QAPP

Here it is!

Rob Monnig, PE | Chemical Engineer

415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.